TJ 1180
A1 I5
physics

INSTRUMENT PRACTICE

INDEX TO VOL. 16, 1962

A

Accelerators, centrifugal*, Oct., p. 1289
Accelerometer:
strain gauge*, Nov., p. 1403
piezo-electric*, April, p. 452
Type PA.2*, March, p. 332
Accuracy and Performance, R. G. West, Nov., p. 1362
Accuracy of Industrial Measurement of Length and Diameter, C. J. Charnley, June, p. 768
Adaptor:
tunnel diode*, Aug., p. 1021
variable phase*, Jan., p. 94.
Admiralty Testing Tank, Feb., p. 183
Aids to Banking, electronic, March, p. 300
Air cylinders, high duty*, Aug., p. 1019
Alarm:
automatic, firedamp*, May, p. 603
burglar*, Feb., p. 208
liquid level*, Dec., p. 1520
Allen, J. W.: Crystal Lamp—A Novel Light Source, Dec., p. 1463
Alloy, resistance welding, Mallory 328*, Jan., p. 83.
Alloys, silver brazing*, Feb., p. 195
Amplifier:
Chopper, Transistorised, with Relay Output, R. Edwards, Sept., p. 1098
galvanometer drive*, Dec., p. 1516
multi-range, electrometer, d.c.*, Dec., p. 1520
pulse*, April, p. 457
transistor, a.c.*, April, p. 454
transistor, a.c.*, May, p. 610
transistorised, six channel, d.c.*, Aug., p. 1008
tuned, and null detector*, Feb., p. 204
vibration control*, Jan., p. 84
X-ray image*, July, p. 886
Amplifiers:
transistorised*, Oct., p. 1286
Transistorised D.C. Chopper, C. M. Sinclair, Part 1, May, p. 577, Part 2, June, p. 751
Analyser and detector, flame ionisation*, March, p. 336
Analyser, pulse*, Dec., p. 1517
Analysers, servo system*, June, p. 779
Analysis of information, from Skylark rockets, Aug., p. 1033
Analysis, oxygen, in metals*, Oct., p. 1282
Antimony, high-purity*, Nov., p. 1401
Applications of Electronics in Medical Science, by a special correspondent, July, p. 874
Arbor press, precision*, Sept., p. 1151
Ardley, W. G.: March, p. 316
Ashwood, P. F., see Clare, H.
Automatic glass tube plant runs at 22 m.p.h.—temperature held within 0.04 per cent, March, p. 356
Automatic greenhouse, March, p. 356
Automatic liquid blending plant, Aug., p. 1033
Automatic Power Control Equipment for Trains, Semiconductors in, A. Kettlety, July, p. 868
Automatic weighing system*, Dec., p. 1518
Automation in Feedstuff Production, Aug., p. 986
Automation—The Central Industrial Theme of the 60's, July, p. 872
Automobile engineering students use E.M.I. test equipment, Sept., p. 1172
AvoMeter, for checking vehicle electrical systems*, Aug., p. 1023
Avo Nucleonic Equipment, March, p. 313
Avro Resistance Strain Gauges and Their Use at Elevated Temperatures, J. Edwards and R. Turnbull, May, p. 549
Awards, Wolfe, May, p. 567

B

Balance Between Fundamental and Applied Research, July, p. 867
Barr, D. I. H.: The Use and Measurement of Temperature Difference in Hydraulic Laboratory Studies, Nov., p. 1355
Batching counter, high speed*, Sept., p. 1140
Batteries*, May, p. 614
Beam supplies, high energy*, Sept., p. 1155
Benson, F. A.: Voltage Stabilisation, Part 1, April, p 433; Part 2, May, p. 568; Part 3, June, p.742; Part 4, July, p. 859; Part 5, Aug., p. 969
Bimcam News, May, p. 576.
Blower, compact*, Aug., p. 1017
Book Notices: April, p. 443; June, p. 750; July, p. 903; Oct., p. 1226; Nov., p. 1395
Book Reviews: Jan., p. 61; Feb., p. 171; March, p. 292; April, p. 432; June, p. 758; July, p. 895; Aug., 995; Sept., p. 1102; Dec., p. 1510
Brakes, electromagnetic*, Feb., p. 213
Bridge balance, eight-channel*, Dec., p. 1517
Bridge:
precision impedance*, Sept., p. 1149
ratio, automatic*, July, p. 906
transistorised, complex, ratio*, April, p. 458
transistorised conductivity*, April, p. 464
British Standard Memorandum on Light-current Semiconductor Devices, Aug., p. 1003
British Standard Specification for Reference Tables for Iron v. Constantan Thermocouples, Oct., p. 1251
Brush Bonderite Z*, May, p. 607

C

Cabinet construction system*, Sept., p. 1149
Cabinet, environmental*, Dec., p. 1513
Cable jointing machine, portable*, Aug., p. 1015
Cable:
low noise*, Oct., p. 1291
makers*, Dec., p. 1512
sleeves and markers*, Dec., p. 1518
tracer*, June, p. 785
Calculator, statistical*, April, p. 463
Calibration of Flowmeters for Liquid Hydrocarbons, March, p. 317
Calibrator, low frequency*, Sept., p. 1140
Calibrator, vibration*, Feb., p. 201
Camera attachment, for photomicrography*, Jan., p. 81
Camera:
copying*, July, p. 916
gamma, N668*, Oct., p. 1228
oscilloscope*, Jan., p. 86
oscilloscope*, Aug., p. 1015
Capacitance standards, for high voltages*, Jan., p. 90
Capacitance transducer and proximity switch*, Nov., p. 1410
Capacitance transducers, for tachometry*, April, p. 453
Capacitor:
high vacuum variable*, Aug., p. 1011
miniature, high temperature tubular*, Sept., p. 1141
plastic, dielectric*, Oct., p. 1285
Capacitors:
Bluecon and Greycon*, May, p. 610
decade*, Jan., p. 87
film*, Sept., p. 1144
high reliability, glass*, Aug., p. 1016
microminiature*, Nov., p. 1407
miniature, high reliability, ceramic*, June, p. 779
miniature plastic electrolytic*, July, p. 910
papers*, June, p. 781
precision adjustable*, June, p. 789
silvered mica*, March, p. 329
solid tantalum*, Jan., p. 95.
Teflon, film*. Sept., p. 1144
"Transitor" tantalum*, Aug., p. 1016
Cathode ray oscilloscope, in packaging problems, June, p. 798
Cathode ray tube:
fibre optic*, June, p. 786
high-sensitivity*, Feb., p. 209
Cathode ray tube screens, aluminised*, Sept., p. 1141
Cathode tubes, cold*, Oct., p. 1286
Cell, miniature, photoconductive*, Dec., p. 1512
Cells:
diffusion, for ultra-pure hydrogen*, Nov., p. 1400
miniature standard*, April, p. 462
precision load*, April, p. 456
Centralised batching, of liquids, March, p. 356

Charnley, C. J.: Accuracy of Industrial Measurement of Length and Diameter, June, p. 768
Checking carbon equivalent, of liquid cast iron, March, p. 356
Chlorinator, flow-recording*, July, p. 908
Chromatographs, gas*, June, p. 776
Chromatography, assists film base process efficiency, Feb., p. 222
Circuit breaker, magnetic*, Nov., p. 1407
Circuit breakers, miniature*, Aug., p. 1021
Clare, H., and Ashwood, P. F., Measurement of the Thickness of a Liquid Film on the Surface of a Rapidly Rotating Disc, Jan., p. 70.
Closed circuit T.V., at Gatwick, Oct., p. 1304
Clutch, overload slipping*, p. 459
Coal ash, content determination*, May, p. 601
Coatings, thin measurement of*, Feb., p. 199
Colorimeter*, April, p. 452
Collection system, data*, Nov., p. 1411
Commentary:
Humidity and Moisture Content, March, p. 287
IMEKO, 1964, Stockholm, Dec., p. 1461
Instrument Technology, Feb., p. 167
Past and Present, Nov., p. 1347
Quality, June, p. 733
Quality by Testing, May, p. 574
Quality—the first requirement, July, p. 853
Random Jottings, Jan., p. 43.
Random Thoughts on Shop Windows, Oct., p. 1217
Steel and Instrumentation, Aug., p. 967
Weather Forecasting A Complex Process Problem, Sept., p. 1087
X-rays, April, p. 413
Company Profile No. 1 Thomas Industrial Automation Ltd., Oct., p. 1245
Comparator, gauge*, May, p. 601
Components:
breadboard*, Jan., p. 87
illuminated*, Oct., p. 1288
matching, electrical*, April, p. 465
moulding, small*, Sept., p. 1150
Compressor*, May, p. 614
Computer:
1500*, March, p. 325
compiles depth of field tables, Feb., p. 221
controller for distillation*, April, p. 450
for space programme*, June, p. 799
mobile*, May, p. 622
Poseidon, Feb., p. 185
Profile of Europe, L. A. Steiner, Dec., p. 1485
simulates acoustics of auditoriums, Feb., p. 221
tape system*, Feb., p. 204
Computer News, Aug., p. 996; Sept., p. 1131; Oct., p. 1270; Nov., p. 1387; Dec., p. 1505
Computers and Production Control, March, p. 320
Computers, scientific*, Feb., p. 207
Connector:
box, five-way*, Jan., p. 91
fluid*, Jan., p. 93
40-way*, Sept., p. 1139
printed circuit*, March, p. 339
sub-miniature*, May, p. 627
Connectors*, Aug., p. 1022
plug and socket*, April, p. 458
Contactor, thermostat controlled, double ring-main*, May, p. 602
Contacts, double-ended*, May, p. 619
Continuous Automatic Testing of Semiconductor Components, P. Robinson, April, p. 422
Control panels:
combined tank gauging and valve*, Sept., p. 1153
central*, March, p. 328
Control:
for resistance welding*, Jan., p. 82
in Water and Effluent Treatment, Jan., p. 73
paper machine*, Oct., p. 1282
Problems in Iron and Steel, L. A. Steiner, June, p. 766
Control system:
conveyor*, Jan., p. 89
electric temperature*, Jan., p. 83
Control Units, 3-term*, July, p. 910
Controller:
proportional temperature*, May, p. 618
three term*, Nov., p. 1402
3-term, solid state, temperature*, June, p. 778
time-proportional*, Nov., p. 1402
Controllers:
energy*, Aug., p. 1016
precision temperature*, Oct., p. 1286
temperature*, Sept., p. 1141
transistorised, resistance thermometer*, Feb., p. 210
Converter:
analogue-to-digital*, Feb., p. 208
a.c.-d.c.*, Dec., p. 1511
frequency*, Aug., p. 1013
Conway, H. M. T.: Recent Developments in Industrial Electronics, June, p. 762
Counters:
electro-magnetic*, July, p. 911
frequency*, Oct., p. 1285
hours*, April, p. 449
miniature hours*, Feb., p. 200
miniature magnetic*, Dec., p. 1523
predetermined, high-speed*, March, p. 334
tachometer*, Sept., p. 1142
universal scintillation*, June, p. 775
Couplings*, April, p. 461
pipe*, April, p. 462
Cox, N. T., and Reid, J. A.: **A Fifteen-channel Interval Timer with Automatic Punched-tape Recording,** March, p. 294
Crimping and cutting garden hose-pipe, with a dual-output batch-counter, March, p. 357
Crystal cutting, more accurate*, Aug., p. 1015
Crystal Lamp—A Novel Light Source, J. W. Allen, Dec., p. 1463
Crystal materials, optical*, Dec., p. 1524
Cycling unit*, April, p. 462
Cylinder, bore slave*, June, p. 789
Cylinders, pneumatic, "all-square" range*, Jan., p. 93

D

D.C./A.C. Converters for D.C. Amplifiers, May, p. 596
Dashpot, miniature*, Jan., p. 100
Data acquisition, research*, July, p. 918
Data collection system*, July, p. 919
Data Logger, Mobile, May, p. 557
Datapac automatic control system, for steel industry*, Feb., p. 196
Dataplotter, magnetic tape*, Jan., p. 86
Data Processing Codes for Punched Tape B.S.I. Published Standard, May, p. 596
Data processing system, automatic*, July, p. 916
Decade boxes, resistance*, April, p. 454
de Jong, J., and Marquenie, L.: Heat-flowmeters and Their Applications, Jan., p. 45
Detector:
flaw, April, p. 454; Nov., p. 1403; Nov., p. 1404
liquid-level*, July, p. 906
pin hole*, Sept., p. 1139
portable, gas*, March, p. 329
portable, pin-hole*, Sept., p. 1144
proximity*, July, p. 907
Rilo*, Oct., p. 1279
ultrasonic, flaw*, May, p. 602
ultrasonic, flaw*, July, p. 917
Detectors:
Particle, Part 1, F. M. Russell, Nov., p. 1349; Part 2, Dec., p. 1490
silicon, solid state, radiation*, March, p. 338
Diagnostic instrument, Mk. III ultrasonic*, July, p. 887
Dial indicator holder, flexible*, Aug., p. 1007
Diffractometer, automatic X-ray*, July, p. 920
"Digimeter"*, Jan., p. 81
Digital shaft encoder, sizes 11*, Feb., p. 203
Digital voltmeter and ratiometer*, Nov., p. 1407
Digitiser:
capacitative*, Aug., p. 1014
transistorised incremental*, May, p. 614
Dimensions of Instrument Precision Roller Bearings, June, p. 770
Diode kit, Zener*, Sept., p. 1158
Diodes:
miniature Zener*, Feb., p. 213
Plessey, miniature, glass*, April, p. 455
silicon*, June, p. 780
tunnel, in new axial package*, Aug., p. 1014
Display unit, digital, in-line*, March, p. 327
Display units, digital*, April, p. 465
Divider unit*, July, p. 910
Dividers, voltage, precision, a.c.*, Aug., p. 1018
Dounreay, first of the Many?, Nov., p. 1397
Drive, packaged, variable speed*, Jan., p. 98
Dry read units*, Aug., p. 1004
Ducts of Non-circular Cross-section, Forced Convection Heat Transfer, May, p. 576
Dutch margarine, to be weighed by British equipment, June, p. 799
Dynamometer*, July, p. 919

E

E.H.T. rectifier*, Feb., p. 204

Echo sounder, navigational*, Dec., p. 1520
Eddy current flaw detection apparatus*, Sept., p. 1139
Eddy current inspection unit*, Aug., p. 1022
Educational instruments, "Interscale"*, Jan., p. 84
Edwards, J., and Turnbull, R.: Avro Resistance Strain Gauges and Their Use at Elevated Temperatures, May, p. 549
Edwards, R.: Transistorised Chopper Amplifier with Relay Output, Sept., p. 1098
Effects of Small Discharges on some Insulating Materials at Temperatures up to 250°C., Jan., p. 78
Electrical instruments, new style*, April, p. 462
Electrocardiograph, Fukuda, portable, two-speed*, Oct., p. 1228
Electrocardiography, L. G. Goulding, Oct., p. 1229
Electrodes, spot-welding*, Jan., p. 87
Electrolevel*, March, p. 327
Electrometer*, Sept., p. 1141
Electron Beam Welding, July, p. 872
Electronic Aids to Banking, March, p. 300
Electronic Engineering Association, April, p. 424
Electronic Highlights at the I.E.A., July, p. 923
Electronic nurse, tends 900 patients, May, p. 666
Electronic Process Control Systems, June, p. 741
Electronically controlled moulding machines, for Skoda, Sept., p. 1172
Electronics in Medical Science, Applications of, by a special correspondent, July, p. 874
Electronics trainer*, Feb., p. 213
Electron-metallography, Some Aspects of, A. Pande and C. S. Pande, Part 1, Jan., p. 62; Part 2, p. 172
Encoders:
optical*, Sept., p. 1156
optical*, Dec., p. 1526
size 11, shaft-position*, Aug., p. 1020
English Electric Co. Ltd., Review of Activities during 1961, Feb., p. 188
Environmental Testing of Control Instruments for Rockets and High-speed Aircraft, March, p. 319
Erratum, Oct., p. 1250
Europe, Computer Profile of, L. A. Steiner, Dec., p. 1485
Europe's first electronic fuel oil blender, Aug., p. 1034
Examination of reactor fuel elements, Aug., p. 1033
Extruded Wires and Cables, Monitoring and Control of Eccentricity in, F. E. Planer, Feb., p. 169
Eyeglass, collapsible, for on-the-spot examination*, April, p. 456

F

Fault finder, electronic*, March, p. 328
Feedstuff Production, Automation in, Aug., p. 986
Ferrite devices, X-band, microwave*, April, p. 456
Ferromagnetic glass*, Nov., p. 1400
Ferrous detector measuring system*, Feb., p. 200
Fibre Optics aid High-speed Photography, Dec., p. 1489
Fifteen-channel Interval Timer with Automatic Punched-tape Recording, N. T. Cox and J. A. Reid, March, p. 294
Filters, liquid*, Feb., p. 199
Flameproof "Variacs"*, Feb., p. 200
Flameproofing, Intrinsic Safety, and other Safeguards in Electrical Instrument Practice, Symposium on, June, p. 771
Flat unions*, Dec., p. 1521
Flight Test Instrumentation Symposium, Second International, M. A. Perry, June, p. 765
Flow and Measurement Problems in Open Channels, R. G. West, Part 1, June, p. 735; Part 2, July, p. 889; Part 3, Aug., p. 977
Flowmeter:
blood*, May, p. 623
electrical*, Dec., p. 1519
electro-magnetic*, Oct., p. 1280
for food industries*, July, p. 920
Flowmeters, Heat, and Their Applications, J. de Jong and L. Marquenie, Jan., p. 45
Flow Technology—The Future: An Enquiry, R. G. West, May, p. 585
Fluorimeter*, Nov., p. 1404
Fluxmeter:
light-spot*, Jan., p. 98
with electronically amplified damping*, Oct., p. 1279
Flux-sensitive heads*, May, p. 625
Forced Convection Heat Transfer in Ducts of Non-circular Cross-section, May, p. 576
Forkischord*, Jan., p. 87
Forthcoming Exhibitions and Conferences, Jan., p. 114; March, p. 358; May, p. 674; Sept., p. 1169; Nov., p. 1420
Frequency divider*, May, p. 627
Frequency meter, and galvanometer*, June, p. 785
Frequency Response Analysis, of Gas Analysers and Sampling Systems, a Gas Modulator for, A. P. H. Jennings and R. Sullivan, Jan., p. 68
Fuse-links*, Aug., p. 1020
Future of Medical Electronics and Instrumentation, H. S. Wolff, July, p. 881

G

Galvanometers:
high performance*, June, p. 783
reflecting*, May, p. 613
Gas Lubrication Applied to Gyros, A. G. Patterson, April, p. 426
Gas Modulator, for Frequency Response Analysis of Gas Analysers and Sampling Systems, A. P. H. Jennings and R. Sullivan, Jan., p. 68
Gas turbines, measuring rough running of*, Jan., p. 93
Gauges:
Arkon, inclined*, Aug., p. 1017
Avro Resistance Strain, and Their Use at Elevated Temperatures, J. Edwards and R. Turnbull, May, p. 549
differential "Atomat"*, April, p. 451
ionisation, and transistorised control unit*, Oct., p. 1290
level*, April, p. 464
level indicating*, June, p. 789
liquid level*, June, p. 788
pressure*, Sept., p. 1151
Gaussmeters*, June, p. 789
Gear operators, for control valves*, Dec., p. 1518
Gears, precision*, Jan., p. 85
Generator:
d.c. signal*, Aug., p. 1014
delay*, May, p. 603
noise*, May, p. 610
pulse*, Aug., p. 1012
pulse*, Sept., p. 1156
pulse*, Oct., p. 1288
Generators, "J" series Onan*, Sept., p. 1152
Goulding, L. G.: Electrocardiography, Oct., p. 1229
Grating spectrophotometer, for the visible region*, June, p. 780
Grommets*, Nov., p. 1408
Gyros, Gas Lubrication Applied to, A. G. Patterson, April, p. 426

H

Hall effect devices*, Nov., p. 1408
Hearing Aid Design, Silicon Planar Transistors in, C. M. Sinclair, July, p. 876
Hearing aid, thermistor controlled*, July, p. 887
Heat exchanger units*, March, p. 328
Heat-flowmeters and Their Application, J. de Jong and L. Marquenie, Jan., p. 45
Heat sinks, transistor*, May, p. 619
Heat transfer, Forced Convection in Ducts of Non-circular Cross-section, May, p. 576
Heater supply, stabilised d.c.*, Aug., p. 1004
Heating equipment, electron beam, for vacuum coaters*, Nov., p. 1409
High vacuum variable capacitors, in Racal transmitter, Oct., p. 1304
Humidity and Moisture Content, Commentary, March, p. 287
Hydraulic Laboratory Studies, The Use and Measurement of, Temperature Difference in, D. I. H. Barr, Nov., p. 1355
Hydrocyclone*, Jan., p. 94
Hygrometer:
photo-electric, Mark III*, Feb., p. 201
thermoelectric, dew-point*, Sept., p. 1142

I

I.B.M. Customer Courses Programme, June, p. 741
I.B.M. introduce a new pocket size key punch*, May, p. 608
I.E.A.—Einige Hohepunkte, May, p. 599
I.E.A., Electronic Highlights at the, July, p. 923
I.E.A. Exhibition, Some Highlights of, May, p. 597; Preview, p. 631; Additional Exhibitors, p. 653

I.E.A.-Quelques Realisations Marquantes, May, p. 598
ILMAC, 1962, Dec., p. 1504
IMEKO, 1964, Stockholm, Commentary, Dec., p. 1461
Improved Resistance Thermometer Bridge, Feb., p. 191
Impulse transmitter, and transistorised counter*, June, p. 787
Indicators:
automatic proof stress*, May, p. 611
combustible gas*, Feb., p. 205
elapsed time*, Jan., p. 83
flow, for opaque liquids*, March, p. 333
new low cost, frozen goods*, March, p. 327
numerical capacitance, resistance or voltage*, May, p. 609
ratio*, Aug., p. 1009
recorders/controllers, furnace-pressure*, Feb., p. 213
rotary, standing wave, Type B906*, April, p. 458
Speedomax, multiplepoint*, May, p. 615
surge suppression*, June, p. 777
Trav-A-Dial*, Jan., p. 81
visual flow*, July, p. 914
voltage surge*, Nov., p. 1406
Inductors*, Aug., p. 1023
Industrial Electronics, Recent Developments in, H. M. T. Conway, June, p. 762
Industrial pH Measurement and Control*, May, p. 626
Influence of Asymmetrical Flow on Primary Factors, R. G. West, Feb., p. 176
Inspection machine, automatic valve*, Dec., p. 1515
Inspection machines, co-ordinate*, Nov., p. 1409
Instrument casings, re-designed*, Dec., p.1521
Instrument Charts—A Problem, by an Industrial Correspondent, May, p. 584
Instrument "Megger" testing*, Aug., p. 1006
Instrument, multi-point, potentiometric*, Oct., p. 1280
Instrument Technology, Commentary, Feb., p. 167
Instrumental Optics, Feb., p. 192
Instrumentation:
at Uskmouth B Power Station, Feb., p. 221
for Bowater Paper machine, April, p. 472
Instrumentation, International Medical Electronics and, July, p. 873; Oct., p. 1227
Plant Design as a Basis for, R. G. West, March, p. 302
Instruments, rectangular, colour coded, electrical*, Oct., p. 1286
Insulating Materials, Effects of Small Discharges on some, at Temperatures up to 250°C., Jan., p. 78
Integrated Control in Steel Production, Dec., p. 1495
Integrators, precision*, Nov., p. 1400
Intensifier, high gain, image*, May, p. 613
Interferometer, Mach-Zehnder*, March, p. 334
International Fluid Power Conference, 1962, April, p. 444
International Hospital Equipment Exhibition, Oct., p. 1241
International insurance, by electronics, Dec., p. 1536
International Medical Electronics and Instrumentation, July, p. 873; Oct., p. 1227
Interval Timer, a Fifteen-channel, with Automatic Punched-tape Recording, N. T. Cox and J. A. Reid, March, p. 294
Iron and Steel, Control Problems in, L. A. Steiner, June, p. 766

J

Jaguar measures in Millionths, April, p. 472
Jennings, A. P. H., and Sullivan, R., Gas Modulator for Frequency Response Analysis of Gas Analysers and Sampling Systems, Jan., p. 68

K

KDP10 in Europe's most modern data centre, Aug., p. 1034
Kelvin Hughes Humber fish finder, Oct., p. 1304
Kettlety, A.: Semiconductors in Automatic Power Control Equipment for Trains, July, p. 868
Kew's new sun radiation unit, Feb., p. 221
Keyswitch in Trident trials, Aug., p. 1033

L

Laboratory Deflection pH Meters, B.S. 3422, Jan., p. 69
Lamp:
Crystal—A Novel Light Source, J. W. Allen, Dec., p. 1463
micro-miniature*, July, p. 917
Lampholder, pre-focus*, Aug., p. 1004
Laser device*, June, p. 782
Latching relays, for high accelerations*, April, p. 449
Lathe, precision*, Oct., p. 1280
Leak detection, by mass spectrometry*, Feb., p. 210
Lektrokit rack construction*, Feb., p. 206
Lektrokit units, new range of*, April, p. 457
Length and Diameter, Accuracy of Industrial Measurement of, C. J. Charnley, June, p. 768
Lights, flashing pilot*, June, p. 788
Linear accelerator, May, p. 667
Linear accelerator, installed in new radiotherapy centre, June, p. 799
Lintegrators*, June, p. 782
Liquid control success, at biscuit factory, Oct., p. 1304
Liquid Film, Measurement of the Thickness of, on the Surface of a Rapidly Rotating Disc, H. Clare and P. F. Ashwood, Jan., p. 70
Liquid Hydrocarbons, calibration of flowmeters for, March, p. 317
Lubricant*, Nov., p. 1411
Lubricant, dry film*, Sept., p. 1140

M

Magnet, Battery-operated, lifting*, Jan., p. 91
Magnifier, light box + illuminated*, March, p. 338
Mains power pack, for Wheatstone bridges and potentiometers*. April, p. 464
Manufacturers' Literature, Jan., p. 107; Feb., p. 220; March, p. 349; April, p. 476; May, p. 667; June, p. 796; July, p. 936; Aug., p. 1031; Sept., p. 1167; Oct., p. 1299; Nov., p. 1418; Dec., p. 1538
Marking machines, automatic*, July, p. 915
Marquenie, L., see de Jong, J., Jan., p. 45
Maser, ruby optical, operated continuously, March, p. 301
Measurement and control of steel strip reduction in the temper rolling process, May, p. 666
Measurement of Angle in Engineering, Feb., p. 182
Measurement of angular error*, March, p. 325
Measurement, of the Thickness of a Liquid Film on the Surface of a Rapidly Rotating Disc, H. Clare and P. F. Ashwood, Jan., p. 70
Measuring Equipment, Symmetrical-component, A. Wright, March, p. 309
Measuring thin coatings*, Feb., p. 199
Medical Electronics and Instrumentation, Future of, H. S. Wolff, July, p. 881
Medical Electronics and Instrumentation, International, July, p. 873; Oct., p. 1227
Meetings, Feb., p. 222; April, p. 474; Oct., p. 1306; Dec., p. 1532
Memory tape reader and punch*, Jan., p. 96
Memory unit, large capacity, high-speed*, Nov., p. 1400
Metallurgical students learn new techniques, Sept., p. 1172
Meteorological Radar, Jan., p. 67
Meter:
circuit, magnification*, Jan., p. 82
circular scale*, July, p. 906
digital frequency*, June, p. 784
digital, time and frequency*, Jan., p. 82
distance*, Aug., p. 1010
film thickness*, Dec., p. 1522
frequency*, Feb., p. 208
moisture, sand*, June, p. 783
multi-range, test*, Aug., p. 1008
panel*, June, p. 787
pNa*, April, p. 453
potentiometric, pH*, May, p. 613
pressure, for moisture measurement*, Feb., p. 205
sound level*, May, p. 623
steel slab, thickness*, May, p. 608
torque*, July, p. 911
transistorised counter / frequency*, March, p. 324
v.h.f. frequency*, Feb., p. 195
v.h.f. frequency*, April, p. 460
Meters:
high precision*, Sept., p. 1143
"Medallist"*, Aug., p. 1011
pH*, Sept., p. 1146
turbidity*, Sept., p. 1144
Micro-comparator*, April, p. 461
Microdensitometer, double-beam*, July, p. 907
Microscope:
digital*, April, p. 462

projection*, Oct., p. 1287
surface finish*, July, p. 909
universal research*, Sept., p. 1149
Microsize Magnetic Field Probes, Aug., p. 976
Microspectrophotometer*, April, p. 456
Millivoltmeter:
Dawe transistor*, Nov., p. 1399
portable, a.c.*, July, p. 912
transistorised, a.c.*, May, p. 617
Milli-wattmeter, three-phase, thermal*, March, p. 339
Miniature lamp projectors and photocell receivers*, Nov., p. 1408
Miniature plug-in photocell projectors and receivers*, Dec., p. 1524
Mintern, R. A.: Platinax II—a New Powerful Permanent Magnet Alloy, March, p. 289
Mobile Data Logger, May, p. 557
Modification kit, for valve characteristic meter*, Jan., p. 83
Modules, encapsulated, logical, circuit*, April, p. 454
Moisture Measurement, Physical Methods of, A. Pande and C. S. Pande, Part 1, July, p. 896; Part 2, Aug., p. 988; Part 3, Sept., p. 1104; Part 4, Oct., p. 1246
Moisture Meters at the Physical Society Exhibition, March, p. 314
Monitor:
improved water, hardness*, March, p. 336
intrinsically safe, "Contimitor", continuous level, Aug., p. 1011
Nucleonics, contamination*, Oct., p. 1285
radiation*, July, p. 914
water harness*, July, p. 908
Monitor system, for refractory brick kiln, Aug., p. 1034
Monitoring and Control of Eccentricity in Extruded Wires and Cables, F. E. Planer, Feb., p. 169
Monitors series, radiation*, June, p. 785
Monochromator, for Zeiss microscopes*, March, p. 331
Motor:
short stroke, high torque hydraulic*, Aug., p. 1022
slow speed, hydraulic*, March, p. 323
stepper*, Sept., p. 1153
Multi-purpose counter, speeds tote operation, March, p. 356
"Multisign"*, Feb., p. 211

Mc

McCormack, P. D.: Theoretical Prediction of Optimum pH Controller Settings, for a Continuous Neutralisation Process, Sept., p. 1089

N

National Maintenance Conference, March, p. 319
New Patents, Feb., p. 189; July, p. 858; Sept., p. 1097
New Powerful Permanent Magnet Alloy —Platinax II, R. A. Mintern, March, p. 289
News from the World of Medical Electronics, July, p. 888; Oct., p. 1243
News of the Industry, Jan., p. 103; Feb., p. 215; March, p. 341; April, p. 467; May, p. 657; June, p. 791; July, p. 929; Aug., p. 1024; Sept., p. 1161; Oct., p. 1295; Nov., p. 1413; Dec., p. 1527
Non-destructive Testing Ensures Quality, May, p. 594
Nuclear Electronics, Symposium on, Jan., p. 71
Numerical Control—a new machine for drilling operations, Nov., p. 1392

O

Obituaries, Jan., p. 110
Open Channels, Flow and Measurement Problems in, R. G. West, Part 1, June, p. 735; Part 2, July, p. 889; Part 3, Aug., p. 977
Operational Studies of S.R.I. Electronic Moisture Meter in a Textile Mill, April, p. 415
Optimising equipment, industrial*, Feb., p. 196
Optimum pH Controller Settings, Theoretical Prediction of, for a Continuous Neutralisation Process, P. D. McCormack, Sept., p. 1089
Oscillogram processor*, March, p. 324
Oscilloscope camera, for high writing speeds*, May, p. 613
Oscilloscope:
cathode ray*, Sept., p. 1147
d.c. double beam*, March, p. 337
double beam*, April, p. 460
double beam*, May, p. 617
laboratory measuring*, Dec., p. 1514
pre-amplifier*, March, p. 326
25 Mc/s 5 mV/cm*, Aug., p. 1015
readout*, Feb., p. 198
Tektronix*, Jan., p. 84
Type D.55*, March, p. 323
wide band 5 in.*, Jan., p. 94
Oscilloscope system, rack mounting*, March, p. 334
Oscilloscope trolley*, Jan., p. 96
Ovens, electric, horizontal, vacuum*, Nov., p. 1404

P

PNPN Devices, Dec., p. 1473
PACE, assists research in the motor industry, Feb., p. 222
Packing problems, solved with new automatic weighing system, May, p. 667
Pande, A., and Pande, C. S.:
Some Aspects of Electron-Metallography, Part 1, Jan., p. 62; Part 2, Feb., p. 172
Physical Methods of Moisture Measurement, Part 1, July, p. 896; Part 2, Aug., p. 988; Part 3, Sept., p. 1104; Part 4, Oct., p. 1246
Pande, A, and Ranganathan, S. R.: Operational Studies of S.R.I. Electronic Moisture Meter in a Textile Mill, April, p. 415
Pande, C. S., see Pande, A.
Panel instruments, contemporary styled*, Aug., p. 1018
Pantograph Test Train, Feb., p. 186
Paper Tape Handling Conventions, Oct., p. 1250
Particle Detectors, Part 1, F. M. Russell, Nov., p. 1349; Part 2, Dec., p. 1490
Past and Present, Commentary, Nov., p. 1347
Patterson, A. G.: Gas Lubrication Applied to Gyros, April, p. 426
Pensky-Martens flash point apparatus, improvements in*, Jan., p. 90
Performance, Accuracy and, R. G. West, Nov., p. 1362
Periscope, seeks out hidden flaws*, July, p. 912
Perry, M. A.: Second International Flight Test Instrumentation Symposium, June, p. 765
Personalities, Jan., p. 109; Feb., p. 225; March, p. 350; April, p. 473; May, p. 664; June, p. 801; July, p. 935; Aug., p. 1030; Sept., p. 1168; Oct., p. 1301; Nov., p. 1419; Dec., p. 1533
pH control, and ceramic slip preparation March, p. 357
Photocell systems*, Oct., p. 1283
Photo-conductive cell unit*, Feb., p. 207
Photo-electric control, compact*, Sept., p. 1155
Photo-electric Pyrometer, Jan., p. 77
Photo-electric unit*, Aug., p. 1020
Photomultiplier, end-window*, Sept., p. 1140
Photo-multipliers*, Aug., p. 1019
Photosedimentometer*, June, p. 775
Photosensors, subminiature*, Dec., p. 1519
Photoswitch*, Aug., p. 1005
Phototube, multipliers*, Jan., p. 89
Physical Methods of Moisture Measurement, A. Pande and C. S. Pande, Part 1, July, p. 896; Part 2, Aug., p. 988; Part 3, Sept., p. 1104; Part 4, Oct., p. 1246
Physical Society Exhibition, Moisture Meters at the, March, p. 314
Pick-offs, rotary*, Aug., p. 1013
Pins, split dowel*, June, p. 779
Planer, F. E.: Monitoring and Control of Eccentricity in Extruded Wires and Cables, Feb., p. 169
Plant Design as a Basis for Instrumentation, R. G. West, March, p. 302
Platinax II—a New Powerful Permanent Magnet Alloy, R. A. Mintern, March, p. 289
Plug:
high-current*, March, p. 330
right angle, sub-miniature cable, with test jack*, May, p. 615
Pneumatic actuator*, Aug., p. 1018
Pneumatic controls, Satchwell*, Sept., p. 1142
Pneumatic equipment*, April, p. 458
Poseidon Computer, Feb., p. 185
Potentiometer:
decade*, Feb., p. 209
helical*, Jan., p. 92
helical*, Nov., p. 1402
locking device*, May, p. 624
sub-miniature, trimmer*, June, p. 786
thermistor*, March, p. 323
Potentiometer recorder, transistorised, portable*, June, p. 782
Potentiometers:
linear*, July, p. 906
microfriction*, Feb., p. 212
miniature, trimmer*, July, p. 920
new carbon track*, March, p. 338

Power cylinder equipment increases productivity, May, p. 666
Power cylinders*, Nov., p. 1406
miniature*, Sept., p. 1150
Power supplies:
modular, h.t.*, July, p. 917
no-break*, July, p. 913
rack-mounted*, May, p. 625
Power supply:
amplitude-regulating*, Jan., p. 85
for thermo-electric cooling units*, Feb., p. 201
regulated*, Aug., p. 1006
silicon transistor*, Aug., p. 1010
sub-units, transistorised*, Feb., p. 197
transistor, bench*, July, p. 908
stabilised*, June, p. 779
Power supply units:
precision*, Aug., p. 1017
stabilised*, Dec., p. 1526
Power units:
stabilised*, June, p. 777
stabilised*, Nov., p. 1409
Pressure transducer for use with corrosive fluids*, March, p. 331
Pressure transducers for severe environments*, March, p. 327
Primary Elements and Valves, R. G. West, Jan., p. 52
Primary Factors, Influence of Asymmetrical Flow on, R. G. West, Feb., p. 176
Printed circuit developments*, Sept., p. 1146
Printed circuits, relay for*, Dec., 1523
Printing machine has instrumented control, Dec., p. 1536
Programme Board with an Automatic X-ray Fluorescent Spectrometer, The Use of a, H. J. Lucas-Tooth, June, p. 759
Projector, overhead*, Sept., p. 1155
Protecting and sealing agent*, May, p. 619
"Proximitor" capacity switch starts and stops capping machine, April, p. 472
Proximitor, senses presence of lids on automatic lidder, Aug., p. 1033
Pulser unit, transistorised*, Feb., p. 197
Pump:
high, vacuum*, Dec., p. 1516
portable, electric, immersion*, Feb., p. 212
precision, metering*, Oct., p. 1285
sorption*, March, p. 333
Push-buttons, illuminated*, Dec., p. 1512
Pyrometers*, July, p. 913

Q

Quality by Testing, Commentary, May, p. 547
Quality, Commentary, June, p. 733
Quality control, in the steel industry, Oct., p. 1304
Quality—the first requirement, Commentary, July, p. 853
Quickset level*, Nov., p. 1406

R

R.E.C.M.F. at Basle, Dec., p. 1503
Radiation detector, in UK-1 ariel satellite, Aug., p. 1034
Radioisotopes in Instrument Engineering, Some Applications of, J. R. Rhodes, May, p. 559
Random Jottings, Commentary, Jan., p. 43
Random Thoughts on Shop Windows, Commentary, Oct., p. 1217
Ranganathan, S. R., see Pande, A.
Rapidly Rotating Disc, Measurement of the Thickness of a Liquid Film on the Surface of a, H. Clare and P. F. Ashwood, Jan., p. 70
Ratemeter*, July, p. 913
Recent Developments in Industrial Electronics, H. M. T. Conway, June, p. 762
Recorder:
2-pen, wire speed-slice*, Oct., p. 1292
blood pressure*, July, p. 887
differential pressure*, Jan., p. 100
George Kent*, Feb., p. 210
instrumentation*, Oct., p. 1289
le Bœuf*, Jan., p. 88
miniature event*, Dec., p. 1524
miniature potentiometric*, Aug., p. 1020
miniaturised chart*, Aug., p. 1021
operation*, May, p. 607
potentiometric*, Oct., p. 1286
potentiometric*, Oct., p. 1288
servo*, March, p. 331
temperature*, March, p. 337
U.V.*, Rec., p. 1515
battery-operated*, Dec., p. 1525
ultra-sensitive*, June, p. 776
X-Y*, Sept., p. 1153
Recording, Automatic Punched-tape, a Fifteen Channel Interval Timer with, N. T. Cox and J. A. Reid, March, p. 294
Rectifier:
silicon-controlled*, May, p. 610
silicon controlled*, Aug., p. 1023
Rectifiers:
industrial silicon*, Sept., p. 1158
miniature, high voltage*, Oct., p. 1287
silicon*, Feb., p. 211
silicon*, May, p. 603
Reid, J. A., see Cox, N. T.
Relay*, Oct., p. 1290
air-loaded, precision*, Jan., p. 81
counting*, Dec., p. 1525
dry reed type*, Aug., p. 1004
"Guinea", Jan., p. 100
industrial*, Feb., p. 209
industrial*, April, p. 453
mercury switch*, Feb., p. 213
miniature, Type LB*, Jan., p. 88
miniature*, Sept., p. 1158
photo-electric, cell operated*, Oct., p. 1283
plug-in*, April, p. 450
plug-in*, Sept., p. 1143
sensitive vacuum switch*, Jan., p. 86
ultrasonic sensing and switching*, Aug., p. 1018
Relay case, plug-in*, Sept., p. 1141
Relay range, high-speed, dry reed*, Sept., p. 1145
Relay socket, "Press-Fit", miniature*, Nov., p. 1401
Relay tube, touch-controlled*, Oct., p. 1292
Relays*, July, p. 910
industrial control*, Feb., p. 198
PO.600*, July, p. 907
systems*, April, p. 465
2-step*, Aug., p. 1010
Remote control helps the gas industry, Sept., p. 1170
Remote control, of lighthouses, May, p. 666
Resistance Thermometer Bridge, Improved, Feb., p. 191
Resistor:
film*, Sept., p. 1149
sub-miniature, metal oxide film*, Aug., p. 1008
Resistors:
glass-sealed*, Feb., p. 200
low temperature, coefficient*, Sept., p. 1139
metal oxide*, Aug., p. 1012
positive temperature coefficient*, March, p. 330
precision, wirewound*, Feb., p. 212
"Resista", sub-miniature, high stability*, Feb., p. 204
sub-miniature*, Feb., p. 204
tropicalised, precision wirewound*, June, p. 786
Rhodes, J. R.: Some Applications of Radioisotopes in Instrument Engineering, May, p. 559
Ring stand, Philips*, Oct., p. 1242
Robinson, P.: Continuous Automatic Testing of Semiconductor Components, April, p. 422
Rockets and High-speed Aircraft, Environmental Testing of Control Instruments for, March, p. 319
Rodene timer—the Chronoset*, July, p. 914
Rotary table*, Jan., p. 96
Ruby Optical Maser Operated Continuously, March, p. 301
Russell, F. M.: Particle Detectors, Part 1, Nov., p. 1349; Part 2, Dec., p. 1490

S

S.R.I. Electronic Moisture Meter, Operational Studies of, in a Textile Mill, A. Pande and S. R. Ranganathan, April, p. 415
Saturable Current Transformers for Current Limiting, A. Wright, Oct., p. 1219
Scintillators, glass*, July, p. 920
Screwdrivers:
anti-magnetic*, Sept., p. 1143
slotgrip torsion*, Nov., p. 1399
Screw driving machine, automatic*, Sept., p. 1146
Sealectoboards, for single point selection*, Jan., p. 84
Seals:
bonded*, Dec., p. 1524
conduit*, Sept., p. 1153
magnetic, shaft*, April, p. 452
Second International Flight Test Instrumentation Symposium, M. A. Perry, June, p. 765
Selenium stacks, protective*, Aug., p. 1006
Semi-automatic process control, for obtaining town gas from oil refinery by-products, Feb., p. 222
Semiconductor Components, Continuous Automatic Testing of, P. Robinson, April, p. 422
Semiconductor Survey, C. M. Sinclair, Part 1: Transistors, Sept., p. 1111; Part II: Negative Resistance

Devices, Nov., p. 1368; Part III: PNPN Devices, Dec., p. 1466
Semiconductors in Automatic Power Control Equipment for Trains, A. Kettley, July, p. 868
Semiconductors in Automatic Power Control Equipment, for Trains, A. Kettley, Sept., p. 1137 (erratum)
Serviscope, PDA D31R*, Feb., p. 207
Servo-motors, low inertia*, Sept., p. 1145
Short-circuit-proof Rectifier Circuits, Nov., p. 1367
Shunts and transformers, external*, May, p. 605
Sight glass, for pipelines*, Feb., p. 199
Silicon Planar Transistors in Hearing Aid Design, C. M. Sinclair, July, p. 876
Sima Notes, Feb., p. 187; March, p. 320; Aug., p. 1002; Sept. p. 1137; Oct., p. 1277; Nov., p. 1396
Siinclair, C. M.: Transistorised D.C. Chopper Amplifiers, Part 1, May, p. 577; Part 2, June, p. 751; Silicon Planar Transistors in Hearing Aid Design, July, p. 876; Semiconductor Survey, Part 1: Transistors, Sept., p. 1111; Part 2: Negative Resistance Devices, Nov., p. 1368; Part 3: PNPN Devices, Dec., p. 1466
Sleeving materials, p.t.f.e.*, Nov., p. 1406
Sleeving, thin wall, spaghetti*, July, p. 905
Slip ring assemblies, precision*, Jan., p. 86
Slip rings, miniature*, July, p. 905
Slotted plastic wire and cable ductings*, Nov., p. 1400
Slow motion unit, constant-rate*, Jan., p. 85
Society of Instrument Technology, Jan., p. 112; Feb., p. 228; May, p. 669
Solartron transducer, used on Vickers VA-3 Hovercraft, Sept., p. 1172
Solder, aluminium*, May, p. 618
Soldering iron, 15 watt*, May, p. 627
Soldering irons*, Oct., p. 1287
Solderless Wrapped and Bound Connections, Jan., p. 51
Solenoids, enclosed, industrial*, Dec., p. 1519
Solion devices*, June, p. 782
Some Applications of Radioisotopes in Instrument Engineering, J. Rhodes, May, p. 559
Some Aspects of Electron-metallography, A. Pande and C. S. Pande, Part 1, Jan., p. 62; Part 2, Feb., p. 172
Some Experiments of the Hot-tinning of Small Parts, Aug., p. 1003
Some Highlights of the I.E.A. Exhibition, May, p. 597
Sound Level Meters (Industrial Grade) B.S.I. Standard B.S. 3489; 1962, Nov., p. 1361
Spectrophotometer*, Nov., p. 1404
Spectrometer:
Automatic X-ray Fluorescent, The Use of a Programme Board with an, H. J. Lucas-Tooth, June, p. 759
mass*, April, p. 463
X-ray, fluorescence*, Aug., p. 1016
Spectrum analyser, panoramic*, Nov., p. 1411
Speed controllers, in the oil industry, Sept., p. 1170
Speed drive, silicon rectifier variable*, Nov., p. 1407
Speeding Exports, May, p. 596
Spring pins, Spirol*, Jan., p. 86
Square wave polarography*, Dec., p. 1512
Stabilisers:
corona*, Oct., p. 1288
high-voltage, Corona*, May, p. 613
Stabilisation, Voltage, F. A. Benson. Part 1, April, p. 433; Part 2, May, p. 568; Part 3, June, p. 742; Part 4, July, p. 859; Part 5, Aug., p. 969
Standard:
rubidium, vapour frequency*, Oct., p. 1292
transfer*, June, p. 785
Steel and Instrumentation, Commentary, Aug., p. 967
Steel Production. Integrated Control in, Dec., p. 1495
Steiner, L. A.: Control Problems in Iron and Steel, June, p. 766; Computer Profile of Europe, Dec., p. 1485
Stelvetite, as an insulator*, March, p. 334
Stimulator, faradic treatment*, July, p. 887
Storage unit, random/sequential access buffer*, Oct., p. 1291
Sub-miniature sealed toggle and push switches*, Dec., p. 1526
Sullivan, R., see Jennings, A. P. H.
Supply units, transistorised, d.c.*, Oct., p. 1279
Surface indicators*, Aug., p. 1006
Switch:
double pole on-off mains*, May, p. 607
dry-reed*, Sept., p. 1151
electronic*, Dec., p. 1523
industrial, push-button*, July, p. 916
pressure, control*, Oct., p. 1281
programme*, Oct., p. 1290
rotary*, May, p. 601
Switches:
auxiliary*, June, p. 784
concentric, shaft, miniature, tap*, Oct., p. 1282
illuminated, push-button*, Aug., p. 1016
push-button*, Dec., p. 1511
micro*, March, p. 329
miniature, slider*, April, p. 452
tap*, Oct., p. 1283
pressure*, Dec., p. 1521
snap action*, May, p. 613
rotary*, Dec., p. 1516
slide*, Nov., p. 1405
proximity*, June, p. 787
time*, Jan., p. 91
wobble*, Jan., p. 83
Switch units, quick action*, Sept., p. 1150
Switching units, static*, July, p. 909
Symmetrical - component Measuring Equipment, A. Wright, March, p. 309
Symposium on Flameproofing, Intrinsic Safety and other Safeguards in Electrical Instrument Practice, June, p. 771
Symposium on Nuclear Electronics, Jan., p. 71
Symposium on Standardisation in Non-destructive testing, Aug., p. 1003
Synchro, differential*, Dec., p. 1522

T

T.R.21, for servicing aircraft valves, Dec., p. 1536
Tachogenerator, a.c. motor*, Jan., p. 90
Tape corrector, manual*, Oct., p. 1288
Tape recorder*, Aug., p. 1016
miniature, magnetic*, Sept., p. 1146
Tape recording equipment, magnetic instrumentation*, July, p. 909
Tape system, computer*, Jan., p. 87
Tape unit, digital*, Jan., p. 92
Tele-alarm system, for electricity sub-stations*, March, p. 335
Telephone, deaf-aid, from A.E.I.*, Oct., p. 1242
Telescope, autocollimating*, April, p. 456
Telstar Performance Measurements, Sept., p. 1130
Temperature control, pulsating unit for, Aug., p. 1008
Temperature elements, silicon*, April, p. 460
Temperature indicator, portable*, Aug., p. 1004
Temperature of Venus, Dec., p. 1494
Terminal board, high temperature*, July, p. 907
Terminal, Press-Fit*, June, p. 787
Test jack, spin-over*, June, p. 778
Test points, for 0.040 in. probe*, Nov., p. 1401
Test sockets, probe for 0.080 in.*, Aug., p. 1008
Tester:
circuit*, March, p. 324
circular, division*, Oct., p. 1281
hearing aid*, May, p. 628
high voltage, surge*, Dec., p. 1521
Testing machine, combined creep and fatigue*, Oct., p. 1284
Testing machines, torsion*, May, p. 622
Testing, Non-destructive, Ensures Quality, May, p. 594
Theoretical Prediction of Optimum pH Controller Settings for a Continuous Neutralisation Process, P. D. McCormack, Sept., p. 1089
Thermistors*, Oct., p. 1285
Thermocouple:
for stove-dome temperature measurement*, Feb., p. 213
plastic melt immersion*, June, p. 778
Thermoelectric Material in Magnetic Field Shows High Figure of Merit, June, p. 773
Thermometers:
dual dial*, April, p. 465
industrial*, Aug., p. 1019
pipeline*, Aug., p. 1015
vertical scale, mercury-in-steel*, Jan., p. 93
Thermoplastic*, Jan., p. 91
Thermostat*, Nov., p. 1404
air*, Oct., p. 1282
high temperature*, June, p. 778
room*, May, p. 628
Thermostats*, July, p. 912
Thomas Industrial Automation Ltd., Company Profile, No. 1, Oct., p. 1245
Time delays*, Jan., p. 99
Timer:
auto reset*, June, p. 781
electronic*, Aug., p. 1023
Elremco*, June, p. 777
four stage sequence*, Oct., p. 1281

Lancashire Dynamo*, Dec., p. 1513
Londex*, April, p. 449
process*, Sept., p. 1145
process*, Nov., p. 1401
transistorised, universal counter*, March, p. 326
Timers*, Nov., p. 1401
electronic*, March, p. 329
flameproof*, Aug., p. 1013
Topatron*, March, p. 331
Toroids, ferrite*, May, p. 601
Total human body monitor, June, p. 799
Trace reading equipment*, Feb., p. 198
Transcriber, document*, April, p. 459
"Transdata" system, of instrumentation*, Feb., p. 202
Transducer:
angular motion*, Oct., p. 1279
pressure*, Sept., p. 1148
strain gauge, pressure*, June, p. 776
Transformer, miniature, variable*, Aug., p. 1005
Transformers:
Berco Windavolt*, May, p. 617
Saturable Current, for Current Limiting, A. Wright, Oct., p. 1219
voltage and current*, July, p. 914
Westool*, May, p. 623
Transistors:
epitaxial planar*, May, p. 610
Germanium alloy*, Sept., p. 1151
germanium junction*, Jan., p. 91
germanium, medium-speed*, Sept., p. 1148
germanium power*, Feb., p. 211
n-p-n germanium, double-diffused mesa*, Feb., p. 206
p-n-p germanium alloy*, June, p. 783
silicon planar*, Nov., p. 1410
silicon planar*, Dec., p. 1523
with gain of 30,000*, Jan., p. 85
Transistor holders*, April, p. 459
Transistor Tables, Sept., p. 1116; Oct., p. 1252; Nov., p. 1377
Transistorised Chopper Amplifier with Relay Output, R. Edwards, Sept., p. 1089
Transistorised D.C. Chopper Amplifiers, C. M. Sinclair, Part 1, May, p. 577; Part 2, June, p. 751
Transmitter:
differential pressure*, May, p. 621
electronic pressure*, Sept., p. 1156
flow and level*, May, p. 605
Transport, digital tape*, May, p. 618
Trolleys, instrument*, March, p. 339
Tubes, cold cathode:
numerical indicator*, June, p. 775
relay*, March, p. 330
trigger*, Dec., p. 1523
Tunnel diode pairs, matched*, Aug., p. 1017
Tunnel diode tables, Nov., p. 1384
Turnbull, R., see Edwards, J.
Tweezers:
stainless steel, anti-magnetic precision*, May, p. 623
wire stripper*, June, p. 780

U

Ultrasonic cleaning equipment*, Sept., p. 1158
Ultrasonic remote control*, Feb., p. 202
Unijunction transistor tables, Nov., p. 1386
Unique Acoustic Properties Found in Yttrium Iron Garnet, April, p. 421
Uniselector, ten-outlet, miniature*, April, p. 450

V

Vacuum and pressure impregnating plants*, April, p. 463
Vacuum systems*, Oct., p. 1292
Vacuum transducers and indicators*, April, p. 455
Valve:
annular diaphragm*, May, p. 603
Armatic, annular diaphragm*, Feb., p. 207
automatic drain*, Aug., p. 1022
butterfly, with replaceable rubber liner*, Jan., p. 91
control*, Jan., p. 87
plastic*, p. 206
electro-pneumatic*, Dec., p. 1511
emergency, shut-off*, Oct., p. 1292
external pilot pressure reducing*, Feb., p. 195
hand-operated high pressure stop*, May, p. 608
high pressure, reducing*, July, p. 911
solenoid*, March, p. 323
high temperature, pressure scanning*, Sept., p. 1139
instrument toggle*, Aug., p. 1004
intrinsically safe solenoid*, Feb., p. 209
Lang Pneumatic*, April, p. 463
needle*, March, p. 339
one-way trip*, Sept., p. 1157
piston*, Aug., p. 1007
poppet diaphragm*, June, p. 785
relief, high pressure*, Feb., p. 197
rotary selector*, Aug., p. 1012
solenoid*, March, p. 333
solenoid*, March, p. 339
solenoid, operated*, April, p. 449
solenoid-operated, air control*, March p. 332
solid-state, electronic*, Feb., p. 204
stop*, July, p. 915
thermostatic mixing*, Jan., p. 88
time delay*, May, p. 602
Valves, Primary Elements and, R. G. West, Jan., p. 52
Varactors*, Sept., p. 1152
Valve actuator*, Nov., p. 1399
Valve Flow Test Rig, Jan., p. 78
Valve Flow Test Rig., Feb., p. 187
Valveholder, ceramic*, Sept., p. 1147
Variable phase unit*, Sept., p. 1157
Veroboard*, June, p. 780
Vibrator, for Cementation, Oct., p. 1304
Voltage dividers, a.c.*, July, p. 905
Voltage Stabilisation, F. A. Benson, Part 1, April, p. 433; Part 2, May, p. 568; Part 3, June, p. 742; Part 4, July, p. 859; Part 5, Aug., p. 969
Voltmeter:
d.c. valve*, Nov., p. 1402
digital*, April, p. 451
digital*, July, p. 916
digital*, Dec., p. 1513
r.m.s*, March, p. 336
transistorised electrostatic*, Jan., p. 83
true r.m.s.*, April, p. 457
valve*, Dec., p. 1526

W

W.R.A. Hydrology Symposium, Sept., p. 1096
Wall flame burner sequence and flame failure control*, Feb., p. 212
Wallis, S. W. J.: Years Ahead, July, p. 855
Washers, nylon, captive, sealing*, Dec., p. 1511
Water and Effluent Treatment, Control in, Jan., p. 73
Wavemeter, versatile, low cost*, June, p. 785
Weather Forecasting A Complex Process Problem, Commentary, Sept., p. 1087
Weighing systems*, May, p. 618
Welding head, miniature, precision*, Aug., p. 1011
Welding system, stud*, Jan., p. 98
West, R. G.:
Primary Elements and Valves, Jan., p. 52
Influence of Asymmetrical Flow on Primary Factors, Feb., p. 176
Plant Design as a Basis for Instrumentation, March, p. 302
Flow Technology, The Future: An Enquiry, May, p. 585
Flow and Measurement Problems in Open Channels, Part 1, June, p. 735; Part 2, July, p. 889; Part 3, Aug., p. 977
Accuracy and Performance, Nov., p. 1362
Western Electronic Show and Convention 1962, Oct., p. 1225
Westrex personal call system, Aug p. 1034
Wheatstone bridge*, May, p. 625
Whistle, sonic energy air*, Sept., p. 1158
Winding machine, high-speed, toroidal*, May, p. 624
Wire:
niobium zirconium*, Aug., p. 1010
p.t.f.e. equipment*, Nov., p. 1402
thin, plating*, Dec., p. 1519
Wright, A.:
Symmetrical - component Measuring Equipment, March, p. 309
Saturable Current Transformers for Current Limiting, Oct., p. 1219
Wolff, H. S.: Future of Medical Electronics and Instrumentation, July, p. 881

X

X-rays, Commentary, April, p. 413

Y

Years Ahead, S. W. J. Wallis, July, p. 855

Printed in Great Britain by Herald Printing Works, York and London—58553